08 LC 25 5035ER

House Resolution 1033

By: Representatives Drenner of the 86th, Henson of the 87th, Benfield of the 85th, Thomas of the 100th, and Gardner of the 57th

A RESOLUTION

- 1 Urging that certain water conservation measures be required by the Department of Natural
- 2 Resources; and for other purposes.
- 3 WHEREAS, the great State of Georgia is one of a few states in the nation which has no
- 4 interstate rivers flowing into it; and
- 5 WHEREAS, the total dependence for drinking water supply and irrigation comes from
- 6 ground water and rainfall; and
- 7 WHEREAS, water is without question the most valuable resource in our great state; and
- 8 WHEREAS, the issues of our diminishing supplies, increasing population, and lack of
- 9 conservation measures by the State of Georgia must be addressed; and
- 10 WHEREAS, other issues such as septic systems and ground application sewerage treatment
- 11 facilities contribute to the problems facing our citizens in the near term due to the stoppage
- of flows and extended lag time for the return of used water back into our creeks, streams, and
- 13 lakes and pollution of our valuable ground water; and
- 14 WHEREAS, the Department of Natural Resources has the authority vested by the General
- 15 Assembly to develop regulations and enforce said regulations concerning the correction of
- 16 these dire circumstances; and
- 17 WHEREAS, the General Assembly ranks this drought season and the future of Georgia's
- water needs as a high priority due to the absolute necessity for pure, clean, and abundant
- water supplies to our citizens, our farm economy, and our industries.
- 20 NOW, THEREFORE, BE IT RESOLVED BY THE GENERAL ASSEMBLY OF
- 21 GEORGIA that the Department of Natural Resources is urged to require developments of

08 LC 25 5035ER

subdivisions of over 12 new homes or industries whose water consumption exceeds 10,000

- 2 gallons of water per day to be connected to proper municipal or county sewerage collection
- 3 and disposal so that water used shall be returned to our creeks and rivers.
- 4 BE IT FURTHER RESOLVED that the Department of Natural Resources is urged to require
- 5 all new construction be mandated to install low flow shower heads on each shower, that
- 6 being a shower head which uses no more than two gallons of water per minute.
- 7 BE IT FURTHER RESOLVED that the Department of Natural Resources is urged to
- 8 implement these measures and have the regulations completed and in the hands of each water
- 9 distributor within the State of Georgia to be effective no later than January 1, 2009.
- 10 BE IT FURTHER RESOLVED that this body urges that said regulations and requirements
- be written so as to have every shower head refitted and evidenced by original bill of sale for
- said device forwarded to each water distributor within the State of Georgia and to provide
- 13 for penalties of increased water costs to any consumer who fails to provide said receipts and
- 14 retrofit said shower heads.
- 15 BE IT FURTHER RESOLVED that this body urges that this resolution be implemented
- 16 immediately and a report of said regulations generated and distributed within this calendar
- 17 year to all members of the General Assembly and to each newspaper, radio station, and
- 18 television station reporting on such issues within the State of Georgia.